

5-12-08

COF-

REED SMITH LLP

Customer No. 26418

599 Lexington Avenue  
Attn: Patent Records Department  
New York, NY 10022-7650

Phone: (212) 521-5400

Fax: (212) 521-5450

E-mail: eledonne@reedsmith.com

Express mail No. EL 963 994 886 US

Deposited May 09, 2008

I hereby certify that this correspondence is being deposited with the United States Postal Service an Express Mail envelope addressed to: Commissioner for Patents, Attn: Certificate of Correction, P. O. Box 1450, Alexandria, VA 22313-1450 on May 9, 2008

 / Ruth Montalvo

Date: 05/09/2008

Customer No. 26418

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No.: GK-ZEI-3254/500343.20274

Patentee(s): Dietrich SCHWEITZER, et al.

Patent No.: 7,333,842

Serial No.: 10/511,483

Issued: February 19, 2008

Filed: September 7, 2005

For: METHOD FOR THE SPECTROSCOPIC DETERMINATION OF THE OXYGEN SATURATION OF BLOOD IN THE PRESENCE OF OPTICAL DISTURBANCE VARIABLES

Commissioner for Patents  
Attn: Certificate of Correction  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER 37 CFR 1.322


Sir:

Upon review of U.S. Patent No. 7,333,842 issued February 19, 2008, it is noted that the assignees name is incorrect. Enclosed is a copy of the completed PTOL-85b as filed with the correct name, the copy was obtained from private PAIR system and the cover page of the Letter Patent.

It is respectfully requested that a Certificate of Correction be issued.

No fee is required, due to Patent Office error.

Respectfully submitted,

  
Eugene LeDonne - Reg. No. 35,930ELD:ram  
05/09/2008

Enclosures:  
PTO-1050 in duplicate  
Copies of PTOL-85B & 1<sup>st</sup> pg of LP

RECEIVED-USPTO  
Patent Publication

MAY 14 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

Patent No.: **7,333,842**  
Application No.: **10/511,483**  
Issue Date: **February 19, 2008**  
Inventor(s): **Dietrich SCHWEITZER, et al.**

It is certified that this error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**TITLE PAGE**

The assignee's name should read as follows:

**[73] Carl Zeiss Meditec AG, Jena (DE)**

MAILING ADDRESS OF SENDER:  
(GK-ZEI-3254/500343.20274)  
**Reed Smith LLP** (Customer No. 26418)  
Attn: Patent Records Department  
599 Lexington Avenue  
New York, NY 10022-7650

Patent No. **7,330,842**

**RECEIVED-USPTO**  
Patent Publication

**MAY 14 2008**

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 1 of 1

Patent No.: 7,333,842  
Application No.: 10/511,483  
Issue Date: February 19, 2008  
Inventor(s): Dietrich SCHWEITZER, et al.

It is certified that this error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

TITLE PAGE

The assignee's name should read as follows:

[73] Carl Zeiss Meditec AG, Jena (DE)

MAILING ADDRESS OF SENDER:  
(GK-ZEI-3254/500343.20274)  
**Reed Smith LLP** (Customer No. 26418)  
Attn: Patent Records Department  
599 Lexington Avenue  
New York, NY 10022-7650

Patent No. 7,330,842

RECEIVED-USPTO  
Patent Publication  
MAY 14 2008

12-21-07  
PART B - FEE(S)-TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: **Mail** Mail Stop ISSUE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
or **Fax** (571)-273-2885

**INSTRUCTIONS:** This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

26418 7590 09/21/2007

REED SMITH, LLP  
ATTN: PATENT RECORDS DEPARTMENT  
599 LEXINGTON AVENUE, 29TH FLOOR  
NEW YORK, NY 10022-7650

EV 553 779 670 US



Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

**Certificate of Mailing or Transmission**

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

Ruth Montalvo	(Depositor's name)
<i>[Signature]</i>	(Signature)
December 20, 2007	(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,483	09/07/2005	Dietrich Schweitzer	GK-ZEI-3254/500343.20274	4431

**TITLE OF INVENTION:** METHOD FOR THE SPECTROSCOPIC DETERMINATION OF THE OXYGEN SATURATION OF BLOOD IN THE PRESENCE OF OPTICAL DISTURBANCE VARIABLES

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	37400 \$ 1440	\$300	\$0	\$37700	12/21/2007

EXAMINER	ART UNIT	CLASS-SUBCLASS	12/26/2007 EHAILE2	81740.00	00000003 10511483
WINAKUR, ERIC FRANK	3768	600-336000	01 FC:1501	1440.00 OP	300.00 OP

1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).

- ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.  
☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.

2. For printing on the patent from page 1501  
(1) the names of up to 3 registered patent attorneys or agents OR, alternatively,  
(2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed.

1 Reed Smith LLP

**3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)**

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE

(B) RESIDENCE: (CITY and STATE OR COUNTRY)

Carl Zeiss Meditec AG

Jena, Germany.

Please check the appropriate assignee category or categories (will not be printed on the patent): ☐ Individual ☒ Corporation or other private group entity ☐ Government

**4a. The following fee(s) are submitted:**

- ☒ Issue Fee  
☒ Publication Fee (No small entity discount permitted)  
☒ Advance Order - # of Copies 8

**4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)**

- ☒ A check is enclosed.  
☐ Payment by credit card. Form PTO-2038 is attached.  
☒ The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Deposit Account Number 50-1529 (enclose an extra copy of this form).

**5. Change in Entity Status (from status indicated above)**

- ☐ a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27. ☐ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2).

NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office.

Authorized Signature

Eugene LeDonne

Typed or printed name

December 20, 2007  
Date

Registration No. 35,930

RECEIVED USPTO

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(12) **United States Patent**  
**Schweitzer et al.**

(10) **Patent No.:** **US 7,333,842 B2**  
 (45) **Date of Patent:** **Feb. 19, 2008**

(54) **METHOD FOR THE SPECTROSCOPIC DETERMINATION OF THE OXYGEN SATURATION OF BLOOD IN THE PRESENCE OF OPTICAL DISTURBANCE VARIABLES**

(75) **Inventors:** Dietrich Schweitzer, Neustadt/Orla (DE); Martin Hammer, Jena (DE); Eike Thamm, Jena/Maua (DE)

(73) **Assignee:** Carl Zeiss Mesitec AG, Jena (DE)

(\*) **Notice:** Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 318 days.

(21) **Appl. No.:** 10/511,483

(22) **PCT Filed:** Apr. 17, 2003

(86) **PCT No.:** PCT/EP03/04024

§ 371 (c)(1),  
 (2), (4) **Date:** Sep. 7, 2005

(87) **PCT Pub. No.:** WO03/086193

**PCT Pub. Date:** Oct. 23, 2003

(65) **Prior Publication Data**  
 US 2006/0063994 A1 Mar. 23, 2006

(30) **Foreign Application Priority Data**  
 Apr. 17, 2002 (DE) ..... 102 17 543

(51) **Int. Cl.**  
**A61B 5/00** (2006.01)

(52) **U.S. Cl.** ..... 600/336; 600/323

(58) **Field of Classification Search** ..... 600/310,  
 600/322, 323, 336

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,253,744 A 3/1981 Sawa

(Continued)

**FOREIGN PATENT DOCUMENTS**

DE 32 45 939 6/1984

(Continued)

**OTHER PUBLICATIONS**

J. Opt. Soc. Amer. 60, 1970, pp. 1084-1093 :Absorption and multiple scattering by biological suspension V. Twersky.

(Continued)


*Primary Examiner*—Eric F Winakur

(74) *Attorney, Agent, or Firm*—Reed Smith, LLP

(57) **ABSTRACT**

The invention is directed to a method for the spectrometric determination of the oxygen saturation of blood in the presence of optical disturbance variables in which transmission measurements and reflection measurements are carried out in at least two wavelengths that are isosbestic for hemoglobin and oxyhemoglobin, and at least one other wavelength at which the extinction of hemoglobin and oxyhemoglobin differ. Corresponding auxiliary functions are defined in the measurement spectrum (M) and in the reference spectra of hemoglobin and oxyhemoglobin, at least two of the measurement values or two of the reference values for the isosbestic wavelengths lying on this auxiliary function. A corrected measurement spectrum (M'') is generated by the two auxiliary functions. The oxygen saturation is determined by comparing the changed data of this corrected measurement spectrum (M'') with the data of the reference spectra at the other wavelength.

**3 Claims, 2 Drawing Sheets**



Patent Publication  
 MAY 14 2008